










Nosilnosti bremenskih jeklenih vrvi














Working load limits for wire ropes

EN 13414-1

									
Kot/Angle	0°	0°	0°-45°	45°-60°	0°-45°	45°-60°	0°-45°	45°-60°	0°
F	1	0.8	1.4	1	1.12	0.8	2.1	1.5	1.6
Premer/Diameter (mm)									
6	380	300	530	380	430	300	800	570	610
8	700	560	950	700	780	560	1500	1050	1100
10	1050	840	1500	1050	1100	840	2250	1600	1700
12	1550	1240	2120	1550	1700	1240	3300	2300	2500
14	2120	1600	3000	2120	2300	1600	4350	3150	3300
16	2700	2100	3850	2700	3000	2100	5650	4200	4350
18	3400	2700	4800	3400	3800	2700	7200	5200	5650
20	4350	3400	6000	4350	4800	3400	9000	6500	6900
22	5200	4100	7200	5200	5800	4100	11000	7800	8400
24	6300	5000	8800	6300	7000	5000	13500	9400	10000
26	7200	5700	10000	7200	8000	5700	15000	11000	11800
28	8400	6700	11800	8400	9400	6700	18000	12500	13500
32	11000	8800	15000	11000	12300	8800	23500	16500	18000
36	14000	11200	19000	14000	15600	11200	29000	21000	22500
40	17000	13600	23500	17000	19000	13600	36000	26000	28000
52	29000	23200	40000	29000	32400	23200	62000	44000	47000
56	33500	26800	47000	33500	37500	26800	71000	50000	54000
60	39000	31200	54000	39000	43600	31200	81000	58000	63000


Bremenske jeklene vrvi

Wire rope slings

P 1/01	P 1/02	P 1/03	P 1/07
			
P 1/09	P 1/13	P 1/14	P 1/15
			
P 1/16	P 1/20	P 1/21	P 1/22
			
P 1/24			
			


Bremenske jeklene vrvi

Wire rope slings



Bremenske jeklene vrvi

Wire rope slings



Brezkončna jeklena vrv

Grommed sling

Oznaka	Premer	Nosilnost	Min. obseg (m)	02*	04*	06*	08*	10*
Art. No.	Diameter (mm)	Working load limit (t)	Min. Circumference (m)					
7401**	30	15	1,2					
7402**	33	19	1,2					
7403**	36	22	1,3					
7404**	39	26	1,4					
7405**	42	30	1,5					
7406**	48	39	2,0					
7407**	54	50	2,0					
7408**	60	61	2,5					
7409**	66	74	2,5					
7410**	72	88	3,0					
7411**	78	104	3,0					
7412**	84	120	3,0					
7413**	90	138	3,5					
7414**	96	157	3,5					
7415**	102	177	4,0					
7416**	108	200	4,0					
7417**	114	220	4,0					
7418**	120	246	4,5					
7419**	126	270	4,5					
7420**	132	295	5,0					
7421**	138	325	5,0					
7422**	144	354	5,5					
7423**	150	384	5,5					
7424**	156	415	5,5					
7425**	162	448	6,0					
7426**	168	482	6,0					
7427**	174	517	6,5					
7428**	180	553	6,5					
7429**	186	590	7,0					
7430**	192	630	7,0					
7431**	198	670	7,0					
7432**	204	710	7,5					
7433**	210	750	7,5					
7434**	216	800	8,0					

Bremenske jeklene vrvi tip PVK

Wire rope slings type PVK



Oznaka	Premer Jeklene vrvi	Premer verige	Nosilnost	Nosilnost v zanki	Nosilnost v zanki
Art. No.	Diameter of wire rope (mm)	Diameter of chain (mm)	Working load limit, Straight (kg)	Working load limit, Choke (kg)	Working load limit, 0°-45° (kg)
7612**	12	7	1250	2500	1750
7614**	14	8	1700	3400	2400
7616**	16	10	2240	4480	3150
7618**	18	13	2800	5600	4000
7620**	20	13	4250	8500	6000
7624**	24	16	5000	10000	7000

Bremenske jeklene vrvi tip PVD

Wire rope slings type PVD



Oznaka	Premer jeklene vrvi	Premer verige	Direktna nosilnost	Nosilnost v zanki
Art. No.	Diameter of wire rope (mm)	Diameter of chain (mm)	Working load limit, Straight (kg)	Working load limit, Choke (kg)
7512**	12	7	17500	1400
7514**	14	8	2400	1900
7516**	16	10	3150	2500
7518**	18	13	4000	3150
7520**	20	13	6000	4750
7524**	24	16	7000	5600







Bremenske jeklene vrvi

Wire rope slings

1 – stremenski dviznik


1 - branch









Oznaka	Premer	Nosilnost	*01	*02	*03	*04	*05	*06
Art. No.	Diameter (mm)	Working load limit (kg)						
			OHV	SOB	CLS	WHS	CWH	CLW
7108**	8	700						
7110**	10	1050						
7112**	12	1550						
7114**	14	2120						
7116**	16	2700						
7118**	18	3400						
7120**	20	4350						
7122**	22	5200						
7124**	24	6300						
7126**	26	7200						
7128**	28	8400						
7132**	32	11000						
7136**	36	14000						
7140**	40	17000						

2 – stremenski dviznik

2 - branch




Oznaka	Premer	Nosilnost	*01	*02	*03	*04	*05	*06
Art. No.	Diameter (mm)	Working load limit (kg)						
			OHV	SOB	CLS	WHS	CWH	CLW
7208**	8	950						
7210**	10	1500						
7212**	12	2120						
7214**	14	3000						
7216**	16	3850						
7218**	18	4800						
7220**	20	6000						
7222**	22	7200						
7224**	24	8800						
7226**	26	10000						
7228**	28	11800						
7232**	32	15000						
7236**	36	19000						
7240**	40	23500						

Bremenske jeklene vrvi

Wire rope slings

3 – stremenski dviznik


3 - branch



Oznaka	Premer	Nosilnost	*01	*02	*03	*04	*05	*06
Art. No.	Diameter (mm)	Working load limit (kg)						
			OHV	SOB	CLS	WHS	CWH	CLW
7308**	8	1500						
7310**	10	2250						
7312**	12	3300						
7314**	14	4350						
7316**	16	5650						
7318**	18	7200						
7320**	20	9000						
7322**	22	11000						
7324**	24	13500						
7326**	26	15000						
7328**	28	18000						
7332**	32	23500						
7336**	36	29000						
7340**	40	36000						

4 – stremenski dviznik

4 - branch



Oznaka	Premer	Nosilnost	*01	*02	*03	*04	*05	*06
Art. No.	Diameter (mm)	Working load limit (kg)						
			OHV	SOB	CLS	WHS	CWH	CLW
7408**	8	1500						
7410**	10	2250						
7412**	12	3300						
7414**	14	4350						
7416**	16	5650						
7418**	18	7200						
7420**	20	9000						
7422**	22	11000						
7424**	24	13500						
7426**	26	15000						
7428**	28	18000						
7432**	32	23500						
7436**	36	29000						
7440**	40	36000						