


Kavlji Hooks

Kavelj očesni tip OHS z varovalom


SIKA Eye sling hooks type OHS with extra solid safety latch



Velikost	Nosilnost								Teža	Oznaka
Nominal size	Working load limit (kg)	b mm	d mm	h mm	l mm	m mm	s mm	t mm	Weight per piece (kg)	Art. No.
6/7-8	1500	24	12	30	143	26	23	103	0,6	2930067
7-8	1500	25	12	31	156	27	26	113	0,8	2930007
8-8	2000	32	16	34	168	27	31	119	1,0	2930008
10-8	3150	30	18	42	193	33	30	133	1,5	2930010
13-8	5300	39	21	47	258	44	43	192	3,5	2930013
16-8	8000	56	27	55	297	55	40	215	5,5	2930016
18/20-8	12500	61	33	36	330	60	43	234	7,6	2930019
SH22/26-8	21200	55	35	75	345	70	62	235	10,5	12800022

Kavelj očesni tip SOCS z varovalom tip SOC brez varovala


Eye hooks type SOCS with strong sheet metal safety latch type SOC without safety latch



Velikost	Nosilnost									Teža	Oznaka	Oznaka
Nominal size	Working load limit (kg)	b mm	d mm	h mm	l mm	m1 mm	m2 mm	s mm	t mm	Weight per piece (kg)	Art. No. SOC	Art. No. SOCS
6-8	1120	20	11	20	117	21	26	16	86	0,3	3130006	3131006
7-8	1500	24	12	25	134	24	28	18	98	0,5	3130007	3131007
8-8	2000	26	13	31	157	25	32	21	113	0,7	3130008	3131008
10-8	3150	30	15	33	168	26	34	25	121	1,0	3130010	3131010
13-8	5300	40	20	41	207	31	40	33	146	1,9	3130013	3131013
16-8	8000	54	25	49	262	38	52	42	286	3,7	3130016	3131016

Očesni kontejnerski kavelj tip CWH


Eye foundry hooks type CWH



Velikost	Nosilnost								Teža	Oznaka
Nominal size	Working load limit (kg)	b mm	d mm	h mm	l mm	m mm	s mm	t mm	Weight per piece (kg)	Art. No.
6/7-8	1500	18	10	26	132	49	20	96	0,5	3630006
8-8	2000	25	11,5	26	160	63	21	122	0,8	3630008
10-8	3150	32	14	37	204	76	31	153	2,0	3630010
13-8	5300	40	18	42	241	86	37	181	3,5	3630013
16-8	8000	35	24	50	281	100	45	207	5,5	3630016
18/20-8	12500	40	26	67	328	112	60	235	10,0	3630020
22-8	15000	47	30	70	365	124	65	265	13,6	3630022
26-8	21200	54	38	80	419	143	73	305	20,0	3630026

Drсни kavelj za jeklene vrvi


Sliding choker hook for ropes



Velikost	Vrv Ø	Nosilnost						Teža	Oznaka z varovalom	Oznaka brez varovala
Nominal size (inch)	Rope dia. mm	Working load limit (kg)	b mm	d mm	l mm	m With safety latch mm	m Without safety latch mm	Weight per piece (kg)		
3/8 – 1/2	9- 13	1250	70	17	128	19	25	0,7	3531038	3530038
5/8	14- 16	2000	80	22	147	22	28	1,0	3531058	3530058
3/4	17- 19	3000	103	27	174	30	36	1,8	3531034	3530034
7/8- 1	20- 26	5000	133	33	210	40	47	3,4	3531078	3530078

Kavelj tip SOB z varovalom


Eye hook type SOB with extra solid safety latch



Velikost	Nosilnost							Teža	Oznaka
Nominal size	Working load limit (kg)	b mm	h mm	l mm	m mm	s mm	t mm	Weight per piece kg	Art. No.
6-8	1120	21	20	110	20	17	78	0,3	5130006
7-8	1500	23	21	120	23	18	86	0,4	5130007
8-8	2000	27	22	130	25	19	94	0,5	5130008
10-8	3150	32	29	163	32	22	116	0,9	5130010
13-8	5300	37	35	198	40	28	141	1,6	5130013
16-8	8000	51	38	226	42	29	165	2,4	5130016
18-8	10000	57	50	281	60	40	202	4,4	5130018
19/20-8	12500	63	55	308	65	42	227	6,0	5130019

Rezervni deli za kavelj SOB (1 x zapora, 1 x vzmet, 1 x sornik)


Spare parts set for SOB consisting of: 1 latch, 1 spring, 1 bolt



Velikost	Oznaka	Velikost	Oznaka	Velikost	Oznaka	Velikost	Oznaka
Nominal size	Art. No.	Nominal size	Art. No.	Nominal size	Art. No.	Nominal size	Art. No.
6-8	5131006	8-8	5131008	13-8	5131013	18-8	5131018
7-8	5131007	10-8	5131010	16-8	5131016	19/20-8	5131019

Kavlji Hooks

Grad
50




Očesni kavelj po DIN 7541

Eye hook acc. to DIN 7541


Št. No.	Nosilnost Working load limit (kg)	b mm	d mm	l mm	m mm	s mm	t mm	Teža Weight per piece (kg)	Oznaka Art. No.
17	500	18	9	97	18	13	71	0,16	3432005
20	1000	25	12,5	136,5	25	19	100	0,45	3432010
21	1250	28	14	152	28	21	112	0,6	3432012
22	1600	31,5	16	171	31,5	24	125	0,9	3432016
23	2000	35,5	18	192	35,5	26	140	1,2	3432020
34	2500	40	20	218	40	30	160	1,8	3432025
25	3200	45	22,4	244,4	45	34	180	2,5	3432032
26	4000	50	25	273	50	38	200	3,5	3432040
27	5000	56	28	305	56	42	224	5	3432050
28	6300	63	31,5	341,5	63	48	250	7	3432063
29	8000	71	35,5	382,5	71	53	280	10	3432080
30	10000	80	40	430	80	60	315	14	3432100

Kavelj vrtljiv tip WHS
z medeninasto pušo ali krogličnim
ležajem, z varovalom

SIKA Swivel hooks type WHS
equipped with brass bushing
or ball bearing and extra solid safety latch



Velikost Nominal size	Nosilnost Working load limit (kg)	b mm	c mm	d mm	h mm	l mm	m mm	s mm	t mm	Teža Weight per piece (kg)	Oznaka za medeninasto pušo With brass bushing Art. No.	Oznaka za kroglični ležaj With ball bearing Art. No.
6-8	1120	28	21	10	27	166	19	21	128	0,6	2361006	2630006
6/7-8	1500	30	24	13	30	199	24	27	156	0,9	2631067	2630067
7-8	1600	35	30	14	29	217	28	25	171	1,2	2631007	2630007
8-8	2000	36	32	17	32	229	28	30	180	1,4	2631008	2630008
10-8	3150	38	30	18	42	261	33	31	201	2,5	2631010	2630010
13-8	5300	61	58	28	48	357	44	42	288	5,5	2631013	2630013




Vrtljiv člen
tip KLW

Ball bearing swivel
type KLW

Velikost Nominal size	Nosilnost Working load limit (kg)	b mm	c1 mm	c2 mm	d mm	l mm	t mm	Teža Weight per piece (kg)	Oznaka Art. No.
8-8	2000	36	30	49	17	188	154	1,3	6761008
10-8	3150	38	33	51	19	204	166	1,5	6761010
13-8	5300	60	60	89	28	304	258	5,2	6761013

BS vrtljivi členi

BS Ball bearing swivel



Tip	Oznaka				
Type	Art. No.				
	2000 kg	3200 kg	5000 kg	8000 kg	12500 kg
D 1	6661020	6661032	6661053	6661080	6661125
D 2	6662020	6662032	6662053	6662080	6662125
D 3	6663020	6663032	6663053	6663080	6663125
D 4	6664020	6664032	6664053	6664080	6664125
D 5	6665020	6665032	6665053	6665080	6665125
D 6	6666020	6666032	6666053	6666080	6666125
D 7	6667020	6667032	6667053	6667080	6667125
D 8	6668020	6668032	6668053	6668080	6668125
D 9	6669020	6669032	6669053	6669080	6669125

Velikost	Dimenzije v mm pri nosilnosti v kg				
Size	Dimensions in mm & working load limit in kg				
	2000 kg	3200 kg	5000 kg	8000 kg	12500 kg
c	49	66	82	103	117
d	45	57	73	88	104
e1	10,5	13	17	20	24
e2	14	18	22	25	30
e3	21	29	36	43	50
f	70	85	100	112	88
g	M 24	M 30	M 36	M 42	M 45 x 5
h1	22	26	33	40	48
h2	92	118,5	135,5	163,5	190
k	18	25	29	36	43
j	69	87	109	127	147
l1	125	155	197	231	269
l2	187	236	294	344	399
l3	196	248	298	354	414
l4	267	341	399	477	555
l5	258	329	395	467	540
l6	249	317	391	457	525
l7	195	248	297	354	406
l8	186	236	293	344	391
l9	124	155	196	231	265
m1	32	40	48	56	66
m2	27	34	42	49	59
s1	9	12	16	19	22
s2	14	18	22	25	30
s3	18	23	28	33	42
w	50	66	72	82	105

Tip	Teža in nosilnost v kg				
Type	Weight per piece in kg at working load limit of... kg				
	2000 kg	3200 kg	5000 kg	8000 kg	12500 kg
D 1	0,7	1,4	2,9	5,0	8,6
D 2	1,1	2,2	4,3	7,6	12,6
D 3	1,0	2,0	3,6	6,0	10,3
D 4	1,2	2,4	4,3	7,2	12
D 5	1,3	2,6	5,0	8,7	14,3
D 6	1,5	3,0	5,9	10,5	17,1
D 7	1,5	3,0	4,9	8,3	14,4
D 8	1,7	3,0	5,5	9,8	16,7


Kavlji Hooks



Grad
80

BS dvizni kompleti
primerni za jeklene vrvi in verige
v kompletu ali kot posamezni deli

BS lifting attachments components system
available for ropes and chains
available as individual parts



Velikost	Dimenzije v mm in nosilnost v kg				
Size	dimensions in mm at working load limit of... kg				
	2000 kg	3200 kg	5000 kg	8000 kg	12500 kg
c	49	66	82	103	117
e1	10,5	13	17	20	24
e2	14	18	22	25	30
e3	21	29	36	43	50
f	70	85	100	112	88
g	M 24	M 30	M 36	M 42	M 45 x 5
h1	22	26	33	40	48
h2	92	118,5	135,5	163,5	190
k	18	25	29	36	43
l2	118	149	185	217	252
l3	127	161	189	227	265
l4	198	254	290	350	408
l5	189	242	286	340	393
l6	180	230	282	330	378
l7	126	161	188	227	259
l8	117	149	184	217	244
l9	55	68	87	104	118
m1	32	40	48	56	66
m2	27	34	42	49	59
s1	9	12	16	19	22
s2	14	18	22	25	30
s3	18	23	28	33	42
w	50	66	72	82	105

Nosilnost	Teža v kg							
Working load limit / kg	Weight per piece / kg							
	A2	A3	A4	A5	A6	A7	A8	A9
2000	0,5	0,4	0,6	0,7	0,9	0,8	0,9	0,6
3200	1,0	0,8	1,2	1,5	1,7	1,5	1,8	1,0
5000	2,2	1,5	2,3	3,0	3,7	2,6	3,3	1,8
8000	3,8	2,3	3,5	5,0	6,5	4,3	5,8	3,1
12500	6,3	3,9	5,9	8,2	10,4	7,8	10,0	5,8

Tip	Oznaka				
Type	Art. No.				
	2000 kg	3200 kg	5000 kg	8000 kg	12500 kg
A 2	6872020	6872032	6872053	6872080	6872125
A 3	6873020	6873032	6873053	6873080	6873125
A 4	6874020	6874032	6874053	6874080	6874125
A 5	6875020	6875032	6875053	6875080	6875125
A 6	6876020	6876032	6876053	6876080	6876125
A 7	6877020	6877032	6877053	6877080	6877125
A 8	6878020	6878032	6878053	6878080	6878125
A 9	6879020	6879032	6879053	6879080	6879125
AE 1	6971020	6971032	6971053	6971080	6971125
AE 2	6972020	6972032	6972053	6972080	6972125
AE 3	6973020	6973032	6973053	6973080	6973125
AE 4	6974020	6974032	6974053	6974080	6974125
AE 5	6975020	6975032	6975053	6975080	6975125
AE 6	6976020	6976032	6976053	6976080	6976125